

AGREEMENT

THIS AGREEMENT ("Agreement") is made and entered into this 5th day of November, 2019, by and between the COUNTY OF FRESNO, a political subdivision of the state of California ("COUNTY"), and Jones-Walbaum Corporation, a California corporation, doing business as American Business Machines, whose address is 821 18th St, Bakersfield, CA 93301 ("CONTRACTOR").

WITNESSETH:

WHEREAS, COUNTY's Internal Services Department – Graphic Communication Services division (ISD – Graphics) has a need for three (3) high-speed, high-volume black-and-white digital copiers, and one (1) high-speed, high-volume color digital copier ("Copier Units"), as well as maintenance and service for the Copier Units;

WHEREAS, CONTRACTOR is willing and able to lease to COUNTY the desired Copier Units upon the terms desired by COUNTY, and to additionally provide full maintenance and service for the Copier Units during the term of the lease, subject to the terms and conditions of this Agreement.

NOW, THEREFORE, in consideration of the mutual covenants, terms and conditions herein contained, the parties hereto agree as follows:

1. OBLIGATIONS OF THE CONTRACTOR

A. CONTRACTOR shall provide all products and product-related services as described in the attached Exhibit B – Scope of Services, which is incorporated by this reference. The products provided include, but are not limited to: three (3) Canon varioPRINT 130 Production Printer units and one (1) Canon imagePRESS C750 Color Production Printer unit ("Copier Units"), along with the included accessories, as noted in the attached Exhibit C – Equipment Information, which is incorporated by this reference.

2. OBLIGATIONS OF COUNTY

COUNTY agrees to exert reasonable care in the operation of the Copier Units and perform all factory-recommended customer care and cleaning as described in the operating instructions, which is necessary to keep the Copier Units in good operating condition. COUNTY shall keep and use the Copier Units at the location of 844 Van Ness Avenue, Fresno, CA 93720, unless COUNTY obtains

1 CONTRACTOR's prior written permission to move the Equipment.

2 3. TERM

3 This Agreement shall commence on December 9, 2019 and continue for a term of sixty (60)
4 months.

5 4. TERMINATION

6 A. Non-Allocation of Funds - The terms of this Agreement, and the services to be
7 provided hereunder, are contingent on the approval of funds by the appropriating government agency.
8 Should sufficient funds not be allocated, the services provided may be modified, or this Agreement
9 terminated, at any time without penalty by giving the CONTRACTOR thirty (30) days advance written
10 notice.

11 B. Breach of Contract - The COUNTY may immediately suspend or terminate this
12 Agreement in whole or in part, where in the determination of the COUNTY there is:

- 13 1) An illegal or improper use of funds;
- 14 2) A failure to comply with any term of this Agreement;
- 15 3) A substantially incorrect or incomplete report submitted to the COUNTY;
- 16 4) Improperly performed service.

17 In no event shall any payment by the COUNTY constitute a waiver by the COUNTY of any breach
18 of this Agreement or any default which may then exist on the part of the CONTRACTOR. Neither shall such
19 payment impair or prejudice any remedy available to the COUNTY with respect to the breach or default.
20 The COUNTY shall have the right to demand of the CONTRACTOR the repayment to the COUNTY of any
21 funds disbursed to the CONTRACTOR under this Agreement, which in the judgment of the COUNTY were
22 not expended in accordance with the terms of this Agreement. The CONTRACTOR shall promptly refund
23 any such funds upon demand.

24 C. Without Cause - Under circumstances other than those set forth above, this
25 Agreement may be terminated by COUNTY by giving thirty (30) days advance written notice of an intention
26 to terminate to CONTRACTOR.

27 5. COMPENSATION/INVOICING: COUNTY agrees to pay CONTRACTOR, and
28 CONTRACTOR agrees to receive compensation for lease of the Copier Units as follows:

A. LEASE COSTS:

LEASE TERM (MONTH)	MONTHLY LEASE AMOUNT	TAX RATE (7.975%)	TOTAL MONTHLY LEASE PAYMENT
60	\$2,093.01	\$166.92	\$2,259.93

COUNTY agrees to pay CONTRACTOR \$2,259.93 per month for sixty (60) months for the lease of the Equipment. In no event shall compensation paid for the lease of the Equipment under this Agreement exceed \$135,595.80 during the total potential five-year term of this Agreement.

B. FULL-SERVICE SUPPORT COSTS/MAINTENANCE: BASE RATE FOR SERVICE (PER PRINT COPY)

COPIER UNIT	BLACK & WHITE RATE	COLOR RATE
Canon varioPRINT 130 Production Printer	0.0027	N/A
Canon imagePRESS C750 Color Production Printer	0.0079	0.035

Full-Service Support costs shall include all parts, labor, service calls, maintenance, travel, and toner. Service per copy shall be billed in arrears for actual usage at the above-stated rates. In no event shall compensation paid for Full-Service Support performed under this Agreement exceed \$409,404.20 during the total potential five-year term of this Agreement.

C. INVOICING

Lease payments shall be combined with each previous month's accrued print copy charges into one single monthly itemized invoice. CONTRACTOR shall submit monthly invoices referencing the provided contract number, either electronically or via mail, in triplicate to the County of Fresno, Internal Services Department, Attention: Business Office, 333 W. Pontiac Way, Clovis, CA 93612, (isdbusinessoffice@fresnocountyca.gov).

A. MAXIMUM COMPENSATION

In no event shall compensation paid for the lease and services performed under this Agreement

1 exceed \$545,000.00 during the total five-year term of this Agreement. It is understood that all expenses
2 incidental to CONTRACTOR'S performance of services under this Agreement shall be borne by
3 CONTRACTOR. COUNTY shall pay CONTRACTOR within forty-five (45) days of receipt of an approved
4 invoice.

5 6. INDEPENDENT CONTRACTOR: In performance of the work, duties and obligations
6 assumed by CONTRACTOR under this Agreement, it is mutually understood and agreed that
7 CONTRACTOR, including any and all of the CONTRACTOR'S officers, agents, and employees will at all
8 times be acting and performing as an independent contractor, and shall act in an independent capacity and
9 not as an officer, agent, servant, employee, joint venturer, partner, or associate of the COUNTY.
10 Furthermore, COUNTY shall have no right to control or supervise or direct the manner or method by which
11 CONTRACTOR shall perform its work and function. However, COUNTY shall retain the right to administer
12 this Agreement so as to verify that CONTRACTOR is performing its obligations in accordance with the
13 terms and conditions thereof.

14 CONTRACTOR and COUNTY shall comply with all applicable provisions of law and the rules and
15 regulations, if any, of governmental authorities having jurisdiction over matters the subject thereof.

16 Because of its status as an independent contractor, CONTRACTOR shall have absolutely no right
17 to employment rights and benefits available to COUNTY employees. CONTRACTOR shall be solely liable
18 and responsible for providing to, or on behalf of, its employees all legally-required employee benefits. In
19 addition, CONTRACTOR shall be solely responsible and save COUNTY harmless from all matters relating
20 to payment of CONTRACTOR'S employees, including compliance with Social Security withholding and all
21 other regulations governing such matters. It is acknowledged that during the term of this Agreement,
22 CONTRACTOR may be providing services to others unrelated to the COUNTY or to this Agreement.

23 7. MODIFICATION: Any matters of this Agreement may be modified from time to time by the
24 written consent of all the parties without, in any way, affecting the remainder.

25 8. NON-ASSIGNMENT: Neither party shall assign, transfer or sub-contract this Agreement nor
26 their rights or duties under this Agreement without the prior written consent of the other party.

27 9. HOLD HARMLESS: CONTRACTOR agrees to indemnify, save, hold harmless, and at
28 COUNTY'S request, defend the COUNTY, its officers, agents, and employees from any and all costs and

1 expenses (including attorney's fees and costs), damages, liabilities, claims, and losses occurring or
2 resulting to COUNTY in connection with the performance, or failure to perform, by CONTRACTOR, its
3 officers, agents, or employees under this Agreement, and from any and all costs and expenses (including
4 attorney's fees and costs), damages, liabilities, claims, and losses occurring or resulting to any person, firm,
5 or corporation who may be injured or damaged by the performance, or failure to perform, of
6 CONTRACTOR, its officers, agents, or employees under this Agreement.

7 The provisions of this Section 9 shall survive the termination of this Agreement.

8 10. INSURANCE

9 Without limiting the COUNTY's right to obtain indemnification from CONTRACTOR or any third
10 parties, CONTRACTOR, at its sole expense, shall maintain in full force and effect, the following insurance
11 policies or a program of self-insurance, including but not limited to, an insurance pooling arrangement or
12 Joint Powers Agreement (JPA) throughout the term of the Agreement:

13 A. Commercial General Liability

14 Commercial General Liability Insurance with limits of not less than Two Million Dollars
15 (\$2,000,000.00) per occurrence and an annual aggregate of Four Million Dollars (\$4,000,000.00). This
16 policy shall be issued on a per occurrence basis. COUNTY may require specific coverages including
17 completed operations, products liability, contractual liability, Explosion-Collapse-Underground, fire legal
18 liability or any other liability insurance deemed necessary because of the nature of this contract.

19 B. Automobile Liability

20 Comprehensive Automobile Liability Insurance with limits of not less than One Million Dollars
21 (\$1,000,000.00) per accident for bodily injury and for property damages. Coverage should include any auto
22 used in connection with this Agreement.

23 C. Professional Liability

24 If CONTRACTOR employs licensed professional staff, (e.g., Ph.D., R.N., L.C.S.W., M.F.C.C.) in
25 providing services, Professional Liability Insurance with limits of not less than One Million Dollars
26 (\$1,000,000.00) per occurrence, Three Million Dollars (\$3,000,000.00) annual aggregate.

27 D. Worker's Compensation

28 A policy of Worker's Compensation insurance as may be required by the California Labor

1 Code.

2 Additional Requirements Relating to Insurance

3 CONTRACTOR shall obtain endorsements to the Commercial General Liability insurance naming
4 the County of Fresno, its officers, agents, and employees, individually and collectively, as additional
5 insured, but only insofar as the operations under this Agreement are concerned. Such coverage for
6 additional insured shall apply as primary insurance and any other insurance, or self-insurance, maintained
7 by COUNTY, its officers, agents and employees shall be excess only and not contributing with insurance
8 provided under CONTRACTOR's policies herein. This insurance shall not be cancelled or changed without
9 a minimum of thirty (30) days advance written notice given to COUNTY.

10 CONTRACTOR hereby waives its right to recover from COUNTY, its officers, agents, and
11 employees any amounts paid by the policy of worker's compensation insurance required by this
12 Agreement. CONTRACTOR is solely responsible to obtain any endorsement to such policy that may be
13 necessary to accomplish such waiver of subrogation, but CONTRACTOR's waiver of subrogation under
14 this paragraph is effective whether or not CONTRACTOR obtains such an endorsement.

15 Within Thirty (30) days from the date CONTRACTOR signs and executes this Agreement,
16 CONTRACTOR shall provide certificates of insurance and endorsement as stated above for all of the
17 foregoing policies, as required herein, to the County of Fresno, Internal Services Department, Attention:
18 Director of Internal Services/Chief Information Officer, 333 W. Pontiac Way, Clovis, CA 93612, stating that
19 such insurance coverage have been obtained and are in full force; that the County of Fresno, its officers,
20 agents and employees will not be responsible for any premiums on the policies; that for such worker's
21 compensation insurance the CONTRACTOR has waived its right to recover from the COUNTY, its officers,
22 agents, and employees any amounts paid under the insurance policy and that waiver does not invalidate
23 the insurance policy; that such Commercial General Liability insurance names the County of Fresno, its
24 officers, agents and employees, individually and collectively, as additional insured, but only insofar as the
25 operations under this Agreement are concerned; that such coverage for additional insured shall apply as
26 primary insurance and any other insurance, or self-insurance, maintained by COUNTY, its officers, agents
27 and employees, shall be excess only and not contributing with insurance provided under CONTRACTOR's
28 policies herein; and that this insurance shall not be cancelled or changed without a minimum of thirty (30)

1 days advance, written notice given to COUNTY.

2 In the event CONTRACTOR fails to keep in effect at all times insurance coverage as herein
3 provided, the COUNTY may, in addition to other remedies it may have, suspend or terminate this
4 Agreement upon the occurrence of such event.

5 All policies shall be issued by admitted insurers licensed to do business in the State of California,
6 and such insurance shall be purchased from companies possessing a current A.M. Best, Inc. rating of A
7 FSC VII or better.

8 11. **AUDITS AND INSPECTIONS:** The CONTRACTOR shall at any time during business
9 hours, and as often as the COUNTY may deem necessary, make available to the COUNTY for examination
10 all of its records and data with respect to the matters covered by this Agreement. The CONTRACTOR
11 shall, upon request by the COUNTY, permit the COUNTY to audit and inspect all of such records and data
12 necessary to ensure CONTRACTOR'S compliance with the terms of this Agreement.

13 If this Agreement exceeds ten thousand dollars (\$10,000.00), CONTRACTOR shall be subject to
14 the examination and audit of the California State Auditor for a period of three (3) years after final payment
15 under contract (Government Code Section 8546.7).

16 12. **NOTICES:** The persons and their addresses having authority to give and receive notices
17 under this Agreement include the following:

18 COUNTY
19 COUNTY OF FRESNO
20 Director of Internal Services/CIO
333 W. Pontiac Way
Clovis, CA 93612

CONTRACTOR
American Business Machines
PO BOX 2737
Bakersfield, CA 93303

21 All notices between the COUNTY and CONTRACTOR provided for or permitted under this
22 Agreement must be in writing and delivered either by personal service, by first-class United States mail, by
23 an overnight commercial courier service, or by telephonic facsimile transmission. A notice delivered by
24 personal service is effective upon service to the recipient. A notice delivered by first-class United States
25 mail is effective three COUNTY business days after deposit in the United States mail, postage prepaid,
26 addressed to the recipient. A notice delivered by an overnight commercial courier service is effective one
27 COUNTY business day after deposit with the overnight commercial courier service, delivery fees prepaid,
28 with delivery instructions given for next day delivery, addressed to the recipient. A notice delivered by

1 telephonic facsimile is effective when transmission to the recipient is completed (but, if such transmission is
2 completed outside of COUNTY business hours, then such delivery shall be deemed to be effective at the
3 next beginning of a COUNTY business day), provided that the sender maintains a machine record of the
4 completed transmission. For all claims arising out of or related to this Agreement, nothing in this section
5 establishes, waives, or modifies any claims presentation requirements or procedures provided by law,
6 including but not limited to the Government Claims Act (Division 3.6 of Title 1 of the Government Code,
7 beginning with section 810).

8 13. **GOVERNING LAW:** Venue for any action arising out of or related to this Agreement shall
9 only be in Fresno County, California.

10 The rights and obligations of the parties and all interpretation and performance of this Agreement
11 shall be governed in all respects by the laws of the State of California.

12 14. **DISCLOSURE OF SELF-DEALING TRANSACTIONS**

13 This provision is only applicable if the CONTRACTOR is operating as a corporation (a for-profit
14 or non-profit corporation) or if during the term of the agreement, the CONTRACTOR changes its status
15 to operate as a corporation.

16 Members of the CONTRACTOR's Board of Directors shall disclose any self-dealing transactions
17 that they are a party to while CONTRACTOR is providing goods or performing services under this
18 agreement. A self-dealing transaction shall mean a transaction to which the CONTRACTOR is a party
19 and in which one or more of its directors has a material financial interest. Members of the Board of
20 Directors shall disclose any self-dealing transactions that they are a party to by completing and signing a
21 Self-Dealing Transaction Disclosure Form, attached hereto as Exhibit A and incorporated herein by
22 reference, and submitting it to the COUNTY prior to commencing with the self-dealing transaction or
23 immediately thereafter.

24 15. **ENTIRE AGREEMENT:** This Agreement constitutes the entire agreement between the
25 CONTRACTOR and COUNTY with respect to the subject matter hereof, and supersedes all previous
26 Agreement negotiations, proposals, commitments, writings, advertisements, publications, and
27 understanding of any nature whatsoever unless expressly included in this Agreement.

28 ///

1 IN WITNESS WHEREOF, the parties hereto have executed this Agreement as of the day and year first
2 hereinabove written.

3
4 **CONTRACTOR**

COUNTY OF FRESNO

5
6 (Authorized Signature)

Nathan Magsig, Chairman of the Board of
Supervisors of the County of Fresno

7 Ryan Jones / General Manager
8 Print Name & Title

9 P.O. Box 2737

10 Bakersfield, CA 93303

Mailing Address

ATTEST:

Bernice E. Seidel
Clerk of the Board of Supervisors
County of Fresno, State of California

11
12
13
14
15 By: Susan Bishop
Deputy

16 **FOR ACCOUNTING USE ONLY:**

17 Fund: 1020

18 Subclass: 10000

19 ORG: 8905

20 Account: 7888
21
22
23
24
25
26
27
28

SELF-DEALING TRANSACTION DISCLOSURE FORM

In order to conduct business with the County of Fresno (hereinafter referred to as "County"), members of a contractor's board of directors (hereinafter referred to as "County Contractor"), must disclose any self-dealing transactions that they are a party to while providing goods, performing services, or both for the County. A self-dealing transaction is defined below:

"A self-dealing transaction means a transaction to which the corporation is a party and in which one or more of its directors has a material financial interest"

The definition above will be utilized for purposes of completing this disclosure form.

INSTRUCTIONS

- (1) Enter board member's name, job title (if applicable), and date this disclosure is being made.
- (2) Enter the board member's company/agency name and address.
- (3) Describe in detail the nature of the self-dealing transaction that is being disclosed to the County. At a minimum, include a description of the following:
 - a. The name of the agency/company with which the corporation has the transaction; and
 - b. The nature of the material financial interest in the Corporation's transaction that the board member has.
- (4) Describe in detail why the self-dealing transaction is appropriate based on applicable provisions of the Corporations Code.
- (5) Form must be signed by the board member that is involved in the self-dealing transaction described in Sections (3) and (4).

Exhibit A


(1) Company Board Member Information:			
Name:	Ryan Jones	Date:	9/26/2019
Job Title:	General Manager		
(2) Company/Agency Name and Address:			
Jones-Walbaum Corporation dba: American Business Machines 821 18th Street / PO Box 2737 Bakersfield, CA 93301 / Bakersfield, CA 93303			
(3) Disclosure (Please describe the nature of the self-dealing transaction you are a party to):			
None			
(4) Explain why this self-dealing transaction is consistent with the requirements of Corporations Code 5233 (a):			
n/a			
(5) Authorized Signature			
Signature:		Date:	9/26/2019

Exhibit B – Scope of Services

1. EQUIPMENT SPECIFICATIONS

A. EQUIPMENT

- a. CONTRACTOR shall lease to COUNTY the following equipment ("Copier Units") for a term of sixty (60) months:
 - i. Three (3) Canon varioPRINT 130 Production Printer units
 - ii. One (1) Canon imagePRESS C750 Color Production Printer unit
- b. CONTRACTOR's equipment shall be all new. COUNTY will not accept remanufactured equipment, newly rebuilt equipment, or any unit with used parts.

B. EQUIPMENT UPTIME

- a. CONTRACTOR guarantees that the Copier Units shall run continuously eight (8) hours per day, Monday through Friday, with at least ninety-five percent (95%) uptime.
- b. CONTRACTOR guarantees that the Copier Units shall perform as specified under normal operating conditions in the County work environment, and must be able to continuously perform at or beyond the specified performance requirements, as described in Exhibit C – Equipment Information.

C. EQUIPMENT SPECIFICATIONS

- a. CONTRACTOR guarantees that each of the Canon varioPRINT 130 Production Printer units shall produce a minimum of one hundred and twenty-five (125) copies per minute, and contain a minimum of five (5) large capacity drawers.
- b. CONTRACTOR guarantees that the Canon imagePRESS C750 Color Production Printer shall produce a minimum of seventy (70) copies per minute, contain a minimum of three (3) large capacity drawers, and communicate with the FIERY color server.
- c. All Copier Units shall possess the following specifications:
 - i. Automatic document handlers
 - ii. Image quality controls
 - iii. Paper weights from 16# to 167# (12 pt.)
 - iv. A maximum of 1/16" registration bounce from copy to copy
 - v. Produce proof copies
 - vi. Finish and staple at least 100 sheets of paper
 - vii. Two (2) and three (3) hole punch options
 - viii. Inter-leafing dividers and covers
 - ix. Print on tabs through the print driver
 - x. Printing and control of tabs on the front side of the copiers

2. SUPPORT SERVICES

A. MISCELLANEOUS SUPPORT SERVICES

- a. CONTRACTOR shall perform all maintenance, including the cleaning, lubrication, and ordinary adjustments necessary to maintain the Copier Units in good operating condition.

Exhibit B – Scope of Services

- b. CONTRACTOR shall replace all mechanical and electrical parts that become damaged and/or worn during the term of this Agreement, unless the damage is caused by fire, act of God, vandalism, or COUNTY's misuse or neglect.
- c. CONTRACTOR shall provide all operating supplies and consumables, except paper, for the Copier Units.
- d. CONTRACTOR shall provide factory-certified service technicians to respond to COUNTY's service calls.
- e. In the event there is a large job that COUNTY cannot handle, CONTRACTOR shall offer its services at a wholesale price.

B. RESPONSE TIMES

- a. CONTRACTOR shall respond to COUNTY's service requests within one (1) hour.
- b. CONTRACTOR shall provide a four (4) hour response time for all maintenance and/or service calls in which services will be performed within the same time window. CONTRACTOR's authorized technician shall be on-site during this four (4) hour response time.

C. DOWNTIME

- a. In the case that any Copier Units fail to perform as required in this Agreement, CONTRACTOR shall ensure that all measures are taken to rectify any performance issues.
 - i. In the event that any of the Copier Units experience downtime that would impact COUNTY's ability to complete print jobs, CONTRACTOR shall run those print jobs in-house and deliver them back to COUNTY in time for COUNTY to meet the specific deadlines of each print job.
- b. CONTRACTOR shall provide loaner unit(s) to COUNTY during normal business hours (7am – 4pm) for any unit that has downtime exceeding forty-eight (48) hours, or two (2) consecutive business days.
 - i. CONTRACTOR's Service Loaner Equipment Policy:
 - 1. In the event that an item of equipment is inoperable for a period in excess of forty-eight (48) hours or two (2) business days, CONTRACTOR shall deliver to COUNTY a loaner Copier Unit, upon COUNTY's written request, until the original Copier Unit is restored to good working order.

D. PREVENTATIVE MAINTENANCE

- a. The Canon varioPRINT 130 Production Printer units do not have a required or recommended preventative maintenance (PM) schedule. These Copier Units will communicate to an operator when a part is needed for maintenance or replacement, at which time CONTRACTOR shall perform the required maintenance and/or parts replacement.
- b. The Canon imagePRESS C750 Color Production Printer unit's PM schedule is per manufacturer specification. As the machine gets into the millions of pages, PMs can take sixty (60) to ninety (90) minutes.
- c. Regular and Preventative Maintenance of Supplies:

Exhibit B – Scope of Services

- i. FM Audit Software: At no extra charge, CONTRACTOR shall deploy its FM Audit Software at Agreement inception for CONTRACTOR to provide automatic supply replenishment. The FM Audit Software allows for the ability to remotely monitor toner supply levels, paper levels, and errors occurring at any device on the network. The FM Audit Software also allows COUNTY to remotely monitor the Copier Units.

3. TRAINING

- a. CONTRACTOR shall provide unlimited training to COUNTY on an as-needed basis at no additional cost to COUNTY.
- b. Training shall include a complete overview of the hardware, scan to e-mail and file, and print drivers example (Secure Print and Print to Fax). CONTRACTOR shall also review all copier and printing applications to provide customization with items, such as Quick Menu, to provide shortcuts by user or customized settings to enhance the Canon product experience.
- c. CONTRACTOR's corporate trainers shall provide detailed individual and/or team training to COUNTY staff, upon written request from COUNTY.

Cost Proposal – DETAILS: Canon imagePRESS C750

Canon imagePRESS C750 Color Production Printer Quoted System and Included Accessories



Actual Configuration Above, Fiery Server to the back of the machine

Item	Specifications
Name	Canon imagePRESS C850/C750/C650
Type	Reader-Printer Separated, Console
Developing System	Dry, Dual-Component Toner Projection
Color Supported	Full Color
Resolution for Writing	Up to 2,400 dpi x 2,400 dpi
Memory	3.5 GB RAM (Standard) (1.5 GB + 2 GB)
Hard Disk³⁸	1 TB (Standard), (1 TB (Used Space))
Paper Weight and Type³⁹	<p>Paper Drawers 1, 2, and 3:</p> <p>Weight: 14 lb bond to 80 lb cover (52 to 220 g/m²) Validated media from 110 lb cover to 130 lb cover (300 to 350 g/m²)^{7, 8, 40}</p> <p>Type: Thin, Plain, Heavy, Color, Recycled, Pre-Punched, Transparency, Clear Film, Tab, Bond, Letterhead, Textured⁴¹, Vellum, and Envelopes⁴²</p>
Paper Size	<p>Paper Drawers 1, 2, and 3:</p> <p>13" x 19", 12 5/8" x 17 11/16", 12" x 18", 11" x 17", LGL, LTR, LTRR, EXEC, STMTR, Custom Size (4" x 5 7/8" to 13" x 19 1/4" (100 mm x 148 mm to 330.2 mm x 487.7 mm)), and Envelopes^{43, 44}</p>
Margin	<p>Top: Approximately 1/8" (4.0 mm) Left and Right: Approximately 1/8" (2.5 mm) Bottom: Approximately 1/8" (4.0 mm)</p>
Warm-Up Time⁴⁵	<p>After Powering ON: Fewer than 6 minutes⁴⁶ Returning from the Sleep mode: Fewer than 6 minutes</p>

Multi-Drawer Paper Deck-C1/Multi-Drawer Paper Deck-B1

Item	Specifications
Paper Size/Weight/Type³⁰	<p>Size: 13" x 19", 12 5/8" x 17 11/16", 12" x 18", 11" x 17", LGL, LTR, LTRR, EXEC, STMTR, Custom Size (5 1/2" x 7 1/8" to 13" x 19 1/4" (139.7 mm x 182 mm to 330.2 mm x 487.7 mm))</p> <p>Weight: 14 lb bond to 110 lb cover (52 to 300 g/m²) Validated media from 110 lb cover to 130 lb cover (300 to 350 g/m²)⁷</p> <p>Type: Thin, Plain, Heavy, Color, Recycled, Pre-Punched, Transparency, Clear Film, Labels, Tab, Bond, Letterhead, Coated, Textured, and Vellum</p>
Paper Deck Capacity	2,000 sheets x 3 paper decks (20 lb bond (80 g/m ²))
Power Source	120-127V AC, 60 Hz, 3.1 A
Maximum Power Consumption	Approximately 880 W
Dimensions (W x D x H)	37 3/8" x 31 3/8" x 41" (950 mm x 797 mm x 1,040 mm)
Weight	Approximately 342 lb (155 kg)
Installation Space Includes the Main Unit (W x D)	89 7/8" x 36 3/4" (2,282 mm x 934 mm) (When the Copy Tray-R2, Duplex Color Image Reader Unit-K1, and Upright Control Panel-G1 are attached)

Staple Finisher-W1 PRO


Item	Specifications
Paper Size/Weight/Type³⁰	<p>Size⁵⁷: 13" x 19", 12 5/8" x 17 11/16", 12" x 18", 11" x 17", LGL, LTR, LTRR, EXEC, STMTR, Custom Size (4" x 5 7/8" to 13" x 19 1/4" (100 mm x 148 mm to 330.2 mm x 487.7 mm))</p> <p>Weight: 14 lb bond to 110 lb cover (52 to 300 g/m²) Validated media from 110 lb cover to 130 lb cover (300 to 350 g/m²)⁷ ⁵⁸</p> <p>Type: Thin, Plain, Heavy, Color, Recycled, Pre-Punched, Transparency, Clear Film, Labels, Tab, Bond, Letterhead, Coated, Textured, Vellum, and Envelopes</p>

External 2/3 Hole Puncher-C1

Item	Specifications
Description	An optional hole puncher unit for the Staple Finisher-T1 or Booklet Finisher-T1.
Paper Size/Weight/Type³⁰	<p>Size: Two Holes: LGL and LTRR Three Holes: 11" x 17" and LTR</p> <p>Weight: 14 lb bond to 140 lb Index (52 to 256 g/m²)</p> <p>Type: Thin, Plain, Heavy, Color, Recycled, Tab, Bond, Letterhead, Coated, and Textured</p>
Punch Hole Quantity, Hole Diameter	Two Holes: 3/8" (8 mm) Three Holes: 3/8" (8 mm)
Distance between Punch Holes	Two Holes: 2 3/4" (70 mm) Three Holes: 4 1/4" (108 mm)
Punch Waste Tray Capacity	Approximately 10,000 sheets (20 lb bond (80 g/m ²))
Power Source	From the finisher
Dimensions (W x D x H)	4 1/4" x 24 1/4" x 32 1/2" (107 mm x 615 mm x 825 mm)
Weight	Approximately 17 lb (7.7 kg)
Installation Space Including the Main Unit (W x D)	90 1/4" x 36 3/4" (2,293 mm x 934 mm) (When the Booklet Finisher-T1, Duplex Color Image Reader-K1, and Upright Control Panel-G1 are attached.)

imagePRESS Server F200

The imagePRESS Server F200¹² is built for accurate color and image quality, variable data printing, and optimum workflow versatility for professionals. It is also ideal for graphic-intensive environments that require production and business (Print MIS) workflow integration via JDF (Job Definition Format). The imagePRESS Server F200 comes with standard features, such as the I1 Pro 2 Spectrophotometer, Spot-On, Auto Trapping, Hot Folders and Virtual Printers, Image Enhance Visual Editor, and is GUI enabled. It is also configurable with the optional Removable HDD Kit. For more information on the standard and optional features that can be configured with the imagePRESS Server F200, please see the documentation that comes with the imagePRESS Server F200.



Power Requirements for the Main Unit and Optional Accessories

Part or Accessory		Power Supply	Power Supply Cord/Plug Specifications	Length of Power Cord
imagePRESS C850 and C750	Serial # Prefix of XMR	Single-Phase 200-240V AC, 20A Outlet	NEMA 6-20	6' 6" (2 m)
	Serial # Prefix of WJC or WJD	Single-Phase 208V AC, 50/60 Hz, 20A Outlet, Y Configuration		
Staple Finisher-W1 PRO		1-120-240V AC, 60 Hz, 8 A	NEMA 5-15 UL498, 2-pole, 3-wire, grounding devices rated 125V/15 A	6' 6" (2 m)


Power/Electrical Requirements

The imagePRESS C850 and C750 main unit with a serial number prefix of "XMR" requires a dedicated, single-phase 200V - 240V/20A, NEMA 6-20R receptacle.


The imagePRESS C850 and C750 main unit, with a serial number prefix of "WJC" or "WJD" requires a dedicated, single-phase 208V/20A NEMA 6-20R receptacle.

The imagePRESS C650 main unit, with a serial number prefix of "YCE", requires a dedicated, single-phase 200V - 240V/20A, NEMA 6-20R receptacle.


The optional Perfect Binder-E1 requires a NEMA 6-15 receptacle, and the PRISMAsync controller and other optional accessories require a NEMA 5-15 receptacle.



NEMA 6-20 Receptacle



NEMA 6-15 Receptacle



NEMA 5-15 Receptacle

Canon imagePRESS C750 Color Production Printer

Optimum Monthly Product Performance

The table below describes the differences between the optimum PCV (Print Copy Volume) and maximum PCV. Please note that the numbers in the table are for reference purposes only, and depend strongly on the type of media selected and environmental conditions. For information on the optimal environmental conditions for the user's machine, see ["Environmental Factors and Requirements,"](#) on p. 44.

Monthly PCV Type	Description	Number of Prints/Copies		
		C850	C750	C650
Optimum PCV	This is the print/copy volume range that the equipment was intended to run on a regular basis to maintain a high level of performance and print/copy quality. Running the equipment within this range ensures that no undue stress is placed on components, and it allows time for the proper servicing and maintenance of the equipment.	40,000 to 167,000	30,000 to 147,000	5,000 to 125,000
Maximum PCV	This is the maximum number of pages the machine can produce within a one-month period. However, sustained use of the machine at this print/copy level will impact the long term performance and durability of the machine. It is recommended to stay within the optimum print/copy volume to reduce a possible increase in servicing and maintenance issues.	500,000	400,000	350,000

Estimated Performance Standards

The EPS (Estimated Performance Standard) is an estimate of the maximum print and scan volumes the machine can achieve in its life span, depending on certain variables:

- If the machine is maintained and serviced by a Canon authorized service technician
- If only Genuine Canon service and consumable parts are used

The actual performance of the machine may vary, based on customer usage factors, such as the environment in which the machine is installed, the types of jobs performed, and the types of media used.

The following EPS values are for reference purposes only, and are based on the use of LTR size paper.

Item		Estimated Performance Standard
Reader Assembly	Reader Unit	400,000 scans (LTR: fixed reading) 2 million sheets (LTR: stream reading), or 5 years, whichever is earlier (including when the machine is powered ON for a whole day)
	ADF	2 million sheets (LTR), or 5 years, whichever is earlier (including when the machine is powered ON for a whole day)
Main Engine	C850	Approximately 10 million pages (LTR), or 5 years, whichever is earlier (including when the machine is powered ON for a whole day)
	C750	Approximately 8,820,000 pages (LTR), or 5 years, whichever is earlier (including when the machine is powered ON for a whole day)
	C650	Approximately 7.5 million pages (LTR), or 5 years, whichever is earlier (including when the machine is powered ON for a whole day)
PRISMAsync Controller		Approximately 5 years

• BLI PRO AWARD •

CANON U.S.A., INC.

imagePRESS C850
with imagePRESS Server F200




GERRY STOIA, CEO

SEPTEMBER 2016
DATE

OUTSTANDING COLOR
LIGHT PRODUCTION DEVICE

BUYERS LABORATORY LLC

THE LEADING INDEPENDENT GLOBAL DOCUMENT IMAGING PRODUCTS TEST LAB

NORTH AMERICA ■ EUROPE ■ ASIA ■ BUYERSLAB.COM

Copyright © 2016 Buyers Laboratory LLC. Reproduced with the written permission of Buyers Laboratory LLC.

Cost Proposal – DETAILS: Canon varioPRINT 130

Canon varioPRINT 130 Production Printer Quoted System and Included Accessories



Actual Configuration Above, Fiery Server to the back of the machine

130 Base Speed License with Printer Operation Care Includes 130 speed license, Scheduler, PostScript 3/ PDF High Speed (includes APPE and PDF/VT1), PCL 6 High Speed, Scan to file/email (MFP model only), Remote Manager, Remote Service Provides 130 ipm speed for configuration for customers who would like to use Printer Operation Care (POC)

The external paper input module significantly increases the paper load and unattended operation time. It features air separation and suction feeding for reliable, accurate paper. The ePIM features: • Automatic paper size detection • Tray-empty detection • Paper Logic • Tray linking • Paper-level indication (on Press Console/UI) • On-the-fly loading • Tab sheet processing Trays 1 and 2 can hold up to 600 sheets** each and trays 3 and 4 can hold up to 1,700 sheets** each for a total capacity of 4,600 sheets. The ePIM, can be monitored by the PRISMAsync Job Scheduler. This allows the operator to schedule when to return to the press to replace media.

Staple Finisher W1 PRO. Multiple position Stapling. Corner staple up to 100 sheets. Stapling with staple cut functionality for thin sets, including built-in joggers to optimize output stack quality. Expand the page count of documents that can be bound in-line to increase range of services offered. Including 2/3 Hole punch in base configuration.

DocBox-C1 Job repository for repeat jobs. Can be PIN protected. Provides thumbnail view of jobs at page-level and allows for page-level editing of job properties and job building. For structured job management and for operatorcentric workflows, it provides advanced editing on job and page level at the Operator Panel.

Color scan to file/email-C1 Scan to FTP/SMB/USB/Docbox. Scan to email (LDAP supported) Provides color scanning.



**KEYPOINT
INTELLIGENCE**
Buyers Lab

Production Print Test Report

A B L I F I E L D A S S E S S M E N T

Canon varioPRINT 140 with PRISMAsync Print Controller

NOVEMBER 2017

140 PPM LIGHT/MID-VOLUME PRODUCTION PRINTER

★★★★★ **Media Handling**
★★★★★ **Productivity**
★★★★★ **Image Quality**
★★★★★ **Ease of Use**
★★★★★ **Job Management**



Ratings are based on a five-star system where five is the best. An overall rating for production devices is awarded only for devices that have undergone a full BLI lab test over the course of five weeks with the device running a full eight hours every day, during which BLI evaluates reliability, image quality consistency, media migration drift, and other media-handling issues.

Testing Method: The unit was evaluated at the manufacturer's facilities in the US over an intensive five-day test period during which 47,820 impressions were printed spanning ten different media types, including coated and uncoated stocks, with weights ranging from 80gsm to 300gsm and sizes ranging from letter to 12" x 18". All test files were submitted using the PRISMAsync Print Controller.

Tested Configuration: Engine with the latest firmware (as of test date September 2017) with External Paper Input Module (ePIM), Document Insertion Unit, High Capacity Stacker, and Booklet Finisher-W1.

Performance Summary

The Canon varioPRINT 140, as tested with the PRISMAsync Print controller, proved to be a very strong choice for small- to mid-size CROs and in-plants, thanks to its outstanding media handling and superior job management.

The varioPRINT 140's media handling was excellent overall. Support for plain, coated, textured, and carbonless substrates from all trays up to 300gsm and automatic duplexing for all media up to 300gsm lend the device versatility, while tight integration between the media catalog and the PRISMAsync Print Server reduces the risk of media mismatches. BLI technicians also found the media catalog to be very easy to search and filter media through, which is especially helpful when dozens of media types are registered in the catalog. The

www.keypointintelligence.com

©2017 Keypoint Intelligence. Duplication without permission is prohibited. For reprints, contact info@keypointintelligence.com.



Canon varioPRINT 130 Production Print Test Report

further supports a higher-than-average 300-sheet duplex automatic document feeder (DAF) and an above average stacking capacity of 12,400 sheets.

Job management for the device was even more outstanding. The Job Scheduler's alerts and notifications enable an operator to maximize efficiency day in and day out by prioritizing jobs with ready media and scheduling jobs to print at different times outside of peak hours and when media is available. PRISMAsync Remote Manager allows an operator to manage the device from a remote location and reroute jobs based on job priority and machine availability. And the Real Preview shows the actual image and actual imposition of a job in properties, limiting the number of proof-prints needed and operator errors.

Ease of use and serviceability also promise to maximize uptime on a daily basis. Clearing misfeeds is easy, and misted pages are flushed to a common area just after the printer body for quick removal. Replacing toner is simple and can be done on the fly. Further, the device's "closed toner" system removes the expense and operator intervention required to replace a waste container.

Output quality should meet most needs in the black-and-white space. Characters were fully formed, with text easily readable down to 3 points in default settings. Fine lines were distinct and consistent for both coated and uncoated media.

There are pros and cons on the productivity front. The device experienced more slowdown than competitors when running heavier letter-size media and when combining heavy and coated pages into jobs. However, it was among the fastest of its peers when inserting preprinted covers from the post process inserter and when switching between letter and ledger output, which is advantageous in environments in which large spreadsheets or building plans are inserted into workflows. The device was also faster than its peers when running 12" x 18"-size media jobs.

KEYPOINT INTELLIGENCE - BUYERS LAB • North America • Europe • Asia

Gerry Stoa, CEO

Deanna Flanck, CRO

Patrick Albus, CFO

Jeff Hayes

Managing Director

Jeff.Hayes@keypointintelligence.com

Randy Dazo

Director, Office Technology & Services

Group

Randy.Dazo@keypointintelligence.com

Jamie Baales

Director, Software Analysis

Jamie.Baales@keypointintelligence.com

George Mikolay

Associate Director, Copier/Production

George.Mikolay@keypointintelligence.com

Marlene Orr

Director, Printer & MFP Analysis

Marlene.Orr@keypointintelligence.com

Carl Schell

Managing Editor

Carl.Schell@keypointintelligence.com

U.S. ANALYSTS

Kris Alvarez

Editor

Kris.Alvarez@keypointintelligence.com

Felicia Heiney, Editor

Felicia.Heiney@keypointintelligence.com

Lee Davis

Editor, Scanners/Software Evaluation

Lee.Davis@keypointintelligence.com

Kaitlin Shaw

Editor, Printer & MFP Evaluation

Kaitlin.Shaw@keypointintelligence.com

EUROPEAN ANALYSTS

Priya Gohil, Senior Editor

Priya.Gohil@keypointintelligence.com

Simon Plumtree, Senior Editor

Simon.Plumtree@keypointintelligence.com

Andrew Unsworth, Editor

Andrew.Unsworth@keypointintelligence.com

LABORATORY

Pete Emory

Director, U.S./Asia Research

& Lab Services

David Sweetnam

Director, EMEA/Asia Research

& Lab Services

COMMERCIAL

Mike Fergus

Vice President of Marketing

& Product Development

Gerry O'Rourke

International Commercial

Director

varioPRINT 130

PRODUCT SPECIFICATIONS

varioPRINT 140 SERIES - GENERAL ENGINE SPECIFICATIONS	
Engine	varioPRINT 140 Series, Multi-Functional Printer (print/scan/copy) or printer-only system
Imaging technology	DirectPress™; Mono-component toner
Speed	140 ipm/130 ipm/115 ipm (Letter - Duplex) 73 ipm/68 ipm/60 ipm (Ledger - Duplex)
Average monthly print volume (AMPV)	80,000-800,000 prints/month
Warm-up time	2.5-4.5 minutes (150-270 seconds), depending on amount of toner in cleaner
First-copy time	Simplex: 3.9 seconds
First-print time	Simplex, RIPPed: 5.1 seconds
Dimensions standard unit (W x D x H)	44.5" x 30.1" x 40.9" (1130 mm x 765 mm x 1040 mm) (excluding user interface) 44.5" x 30.1" x 56.3 (1130 mm x 765 mm x 1430 mm) (including user interface)
Weight standard unit	580 lb (263 kg)
Power connection	1-Phase 208 V/20 A
Product safety and environment	EPA/TEC compliance, RoHS compliance, Cetecon/CE Class A, FCC Class A, UL/TuV/CE, ErP, China RoHS, CRDH FDA (USA), WEEE, Green Procurement Standards, EAC, KC, RCM, International Energy Star Program (Japan, EU, USA)
Other compliances	Section 508, De-inkability certificate

PRISMAsync PRINT SERVER	
Processor	2.7 GHz
Memory	4 GB
Hard disk	500 GB
Network connectivity	10/100/1000 Base-T
Network protocols	TCP/IP (LPR/LPD, socket), SMB static/auto IP (via DHCP) SNMP v1-v3 (printer MIB, private MIB, Job monitoring MIB), IPP
Operating system	Microsoft® Windows® 10
Supported page description languages (PDL)	APPE (Adobe® PDF Print Engine)* • Adobe® PostScript® 3™/streaming PostScript® • PPM/PA Level 1** • PPM versions 1.5, 2.1 and 2.2** PDF 1.7 PCL 6 XPS** Xerox® PPP support

* Standard on varioPRINT 140/130. Optional on varioPRINT 115

** Optional

Power Requirements for the Main Unit and Optional Accessories

Part or Accessory	Power Supply	Power Supply Cord/ Plug Specifications
Main Unit	1-208-240 V/20 A outlet	NEMA 6-20R
e-PIM-D1	1-120 V/15 A outlet	NEMA 5-15
Duplex Color Image Reader-L1 or -K1¹³	From the main unit	—
Staple Finisher-W1	1-120 V/15 A outlet	NEMA 5-15



varioPRINT 140 Series Customer Expectations Document

4. Power/Electrical Requirements

The Canon varioPRINT 140 Series requires a NEMA 6-20R receptacle for the main unit and proper operation.



NEMA 6-20R Receptacle

Most Canon varioPRINT accessories require a NEMA 5-15R receptacle.



NEMA 5-15R Receptacle



1 5"	Staple or Booklet Finisher- W1 Approx. 31.3"	Main Unit Approximately 44.5"	ePIM-D1 Approximately 38.9"
---------	---	--------------------------------------	------------------------------------

TOTAL FOOTPRINT REQUIRED IS 114" OR 9.5'

5470 W. Spruce Avenue, Fresno CA 93722 (559) 222-5485